Catalog # CAL-M52H3



Synonym

CTSL1,MEP,CATL,CTSL

Source

Mouse Cathepsin L Protein, His Tag(CAL-M52H3) is expressed from human 293 cells (HEK293). It contains AA Thr 18 - Asn 334 (Accession # <u>P06797-1</u>). Predicted N-terminus: Thr 18

Molecular Characterization

Cathepsin L(Thr 18 - Asn 334) P06797-1

This protein carries a polyhistidine tag at the C-terminus. This protein contains an Activation peptide, and will be partially processed into Pro form with calculated MW of 35.8 kDa and proteolytic cleavage generate the single-chain activate form with calculated MW of 24.1 kDa and cleavaged activation peptide with calculated MW of 5 kDa under reducing (R) condition. The protein migrates as 40 kDa, 30 kDa and 10 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.

Endotoxin

Less than 1.0 EU per μg by the LAL method.

Purity

>90% as determined by SDS-PAGE.

>90% as determined by SEC-MALS.

Formulation

Supplied as 0.2 μ m filtered solution in 25 mM Tris, 150 mM NaCl, pH7.0 with glycerol as protectant.

Contact us for customized product form or formulation.

Shipping

This product is supplied and shipped with dry ice, please inquire the shipping cost.

Storage

For long term storage, the product should be stored at lyophilized state at -20°C or lower.

Please avoid repeated freeze-thaw cycles.

This product is stable after storage at:

- -20°C to -70°C for 12 months in lyophilized state;
- -70°C for 3 months under sterile conditions after reconstitution.

SDS-PAGE



Mouse Cathepsin L Protein, His Tag on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%.

SEC-MALS

The purity of Mouse Cathepsin L Protein, His Tag (Cat. No. CAL-M52H3) is more than 90% and the molecular weight of this protein is around 35-50 kDa verified by SEC-MALS. <u>Report</u>

Bioactivity

Measured by its ability to cleave the fluorogenic peptide substrate Z-LR-AMC, The specific activity is $>5,000 \text{ pmol}/\text{min}/\mu\text{g}$ (QC tested).



Catalog # CAL-M52H3



Background

Cathepsin L (CTSL1) is also known as major excreted protein (MEP), is a member of the peptidase C1 family, is a dimer composed of disulfide-linked heavy and light chains linked by disulfide bonds. CTSL1 is a lysosomal cysteine proteinase that plays a major role in intracellular protein catabolism. Its substrates include collagen and elastin, as well as alpha-1 protease inhibitor, a major controlling element of neutrophil elastase activity. MEP has been implicated in several pathologic processes, including myofibril necrosis in myopathies and in myocardial ischemia, and in the renal tubular response to proteinuria. CTSL1 is important for the overall degradation of proteins in lysosomes. The specificity of MEP is close to that of papain. As compared to cathepsin B, cathepsin L exhibits higher activity toward protein substrates, but has little activity on Z - Arg – Arg – NHMec, and no peptidyl - dipeptidase activity. Human Cathepsin L activity is greatest under mildly acidic conditions, from pH 4.5 6.5. The stability of the enzyme decreases at higher pH values.

Clinical and Translational Updates



>>> www.acrobiosystems.com

